



HEXA-COVER®
A SELECTION OF REFERENCES
AGRICULTURE

Certified for use with
potable water according
(AS/NZS 4020:2018)

Tested by DLG, Germany



Austria

- A-2245
- A-3123
- A-3281

95% reduction of odor and emission

Bulgaria

- BG-7400 (1.800 m² slurry tank)

Canada

- Wheatly, ON

Chile



A total of 115.000 m² slurry lagoons for market leading processing company

Croatia

- HR-31000
- HR-31216
- HR-21324
- HR-31325 (1.200 m² slurry tank)
- HR-31326
- HR-31431
- HR-32100

Czech Republic

- | | | |
|-----------|-----------|-----------|
| CZ-182 00 | CZ-252 62 | CZ-288 02 |
| CZ-342 01 | CZ-350 02 | CZ-379 01 |
| CZ-391 33 | CZ-535 01 | CZ-538 43 |
| CZ-561 02 | CZ-624 00 | CZ-691 30 |
| CZ-741 01 | CZ-747 74 | CZ-747 81 |
| CZ-763 16 | CZ-763 21 | CZ-793 91 |

Denmark

- | | | |
|---------|---------|---------|
| DK-4200 | DK-4460 | DK-4912 |
| DK-5220 | DK-5500 | DK-6100 |
| DK-6600 | DK-6650 | DK-7320 |
| DK-7500 | DK-7550 | DK-7650 |
| DK-7660 | DK-7755 | DK-7755 |
| DK-7700 | DK-7860 | DK-8464 |
| DK-8620 | DK-8830 | DK-9300 |
| DK-9500 | DK-9700 | DK-9870 |



Michael Aaen Jensen, Grambo Mink, DK-9300

"Like all other elements of our environmental approval, the cover should be approved by the authorities. On that basis, I examined the various options and I decided to go for the Hexa-Cover®."

I contacted the Company, and the Hexa-Cover® was in the tank only a few days later. The installation lasted approx. half an hour, the sacks are hoisted up over the edge and the Hexa-Cover® automatically creates a coherent cover.

I am very satisfied with the Hexa-Cover® solution, it is authorized and approved, it is effective, very easily manageable and long-lasting.

My calculations also show that the Hexa-Cover® is the cheapest solution"

Mr. Joergen Rasmussen, DK-8464

"After trying several other solutions, I installed the Hexa-Cover® for covering my slurry tanks. Hexa-Cover® offer me effective odor elimination as well as elimination of emission, very easy and simple installation, no supervision and maintenance, and not least a much easier access to the slurry, when i.e. mixing and emptying.

Hexa-Cover® is a long lasting and stable solution as the tiles are just being poured onto the slurry where after they automatically organize as a cover. Furthermore a lot of problems, and not the least costs, are now avoided.

Prior to installing the Hexa-Cover® other solutions were considered, including a tank-top. But going through the economics in this solution – both in terms of purchase, insurance, and expected life-time – the decision were quite easy. Really, the Hexa-Cover® is a lot cheaper!

Also the very difficult access to the slurry when using a tank-top meant that this solution was de-selected. The very few, and small openings, in the tarpaulin means difficult access followed by damages, and this really is costly in terms of repairs and maintenance!



So, I am very satisfied with the Hexa-Cover® as it is effective, very easily manageable and long-lasting.

I can highly recommend the Hexa-Cover®"

Mr. Ejvind Sorensen, DK-9500

"Having tried with e.g. cut straw, I decided to end all hassle about covering my slurry tank.

An easier and better solution was needed.

I have now chosen Hexa-Cover® - this solution is brilliant as I both achieve a very efficient removal of both odors and emissions of ammonia.

Further the Hexa-Cover® is very easy and simple to install and operate"

France

F-12580	F-16100	F-16110
F-16140	F-16260	F-18300
F-47400	F-81190	

Germany

D-01900	D-01561	D-02699	D-38835	D-39418	D-39444
D-02899	D-04654	D-04746	D-39448	D-39579	D-39606
D-04774	D-04838	D-04886	D-41751	D-47608	D-47665
D-04936	D-06628	D-06447	D-47906	D-48231	D-48324
D-06773	D-06869	D-06917	D-48346	D-48366	D-48369
D-06918	D-07613	D-07554	D-48465	D-48683	D-48691
D-08569	D-09232	D-09618	D-49143	D-49152	D-49179
D-09634	D-14550	D-14715	D-49326	D-49328	D-49356
D-14913	D-15306	D-15308	D-49400	D-49406	D-49429
D-15806	D-16244	D-16248	D-49453	D-49456	D-49509
D-16368	D-16775	D-16831	D-49624	D-49692	D-49740
D-16928	D-17349	D-17437	D-49828	D-49838	D-52223
D-18233	D-18292	D-21261	D-55568	D-56299	D-57080
D-21354	D-21379	D-21516	D-59069	D-59075	D-59199
D-21539	D-21698	D-21717	D-59227	D-59229	D-59269
D-23812	D-23936	D-23968	D-59320	D-59329	D-59348
D-24407	D-24817	D-24963	D-59494	D-59505	D-59609
D-24986	D-25719	D-25842	D-63584	D-63877	D-70173
D-26219	D-27239	D-27330	D-74639	D-74653	D-78736
D-27383	D-27404	D-28557	D-74838	D-84168	D-84337
D-29303	D-29331	D-29364	D-86444	D-86637	D-86690
D-29365	D-29439	D-29456	D-98634		
D-29493	D-29578	D-29581			
D-29614	D-29634	D-29640			
D-29643	D-29646	D-29664			
D-31515	D-31863	D-32351			
D-32683	D-32791	D-33184			
D-33034	D-33442	D-36341			
D-36179	D-36433	D-37154			
D-38170	D-38527	D-38539			



Mr. Cornelius Brodersen, D-25842

"I chose Hexa-Cover® for several reasons. It is a simple, effective and recognized solution for minimizing odor.

The emission of ammonia is also drastically reduced and the fertilizer remains in the tank.

The handling of Hexa-Cover® is very simple, they are poured onto the surface and spread itself and Hexa-Cover® automatically creates a floating lid.

There are no problems accessing the liquid from the top of the tank, or to let the "arm" go into the container.

After stirring, the Hexa-Cover® elements distribute themselves again and form the cover. There is no need for further action, or use of any tools, and the tank can be inspected at any time. However, rainwater is to be spread with the slurry"

Mr. Rathmann, D-70173

"We chose to cover our digestate with Hexa-Cover® as this solution meets requirements and is approved by authorities, it is effective and very easy to handle, and it is affordable.

All these advantages have convinced us on Hexa-Cover®"

Italy

Zip	M2 covered				
I-10046	430	I-12044	612	I-28010	640
I-10060	756	I-12045	1.008	I-31027	904
I-10068	314	I-12045	152	I-33085	610
I-12012	226	I-12045	133	I-37056	1.200
I-12020	628	I-12045	314	I-37056	800
I-12030	900	I-12076	1.196	I-37060	1.200
I-12030	300	I-12080	1.040	I-37060	1.200
I-12030	612	I-12080	1.040	I-37060	360
I-12030	710	I-12100	426	I-37060	240
I-12030	1.200	I-19126	160	I-37060	520
I-12030	1.200	I-20014	1.550	I-37060	1.200
I-12035	1.034	I-20014	360	I-37060	1.200
I-12035	376	I-20014	1.193	I-37060	1.200
I-12035	650	I-24051	900	I-37060	1.200
I-12035	1.032	I-25030	240	I-37060	1.200
I-12038	250	I-26027	1.100	I-37060	1.200
I-12040	789	I-26817	800	I-37067	3.600
I-12040	200	I-26865	860	I-37017	314
I-12040	460	I-27010	840	I-41037	840
I-12040	700	I-27010	840	I-45011	668
I-12040	410	I-27010	16	I-45011	80
I-12041	255	I-27010	800	I-46100	40
I-12041	760	I-27011	1.200		
I-12041	2.000	I-27011	160	Total, Italy	Approx. 60.000 m2
I-12042	1.200	I-27014	1.200		
I-12042	85	I-27016	400		
I-12044	2.400	I-27018	360		
		I-27018	1.200		

Hungary

HU-4341 (3.000 m² slurry tank)
HU-9970

Japan

JP-216 0033

Latvia

LV-3301

Lithuania

LT-01109
LT-33352 (2.200 m² slurry tanks)



Netherlands

NL-6732

Norway

N-7670

Poland

PL-32 095

Portugal

PT-4700

Scotland

AB51

Serbia

1.040 m² slurry tank

Spain

E-04716
E-17745
E-31219
E-50637

Granja Joar, E-31219 Navarra

"We are indeed very satisfied - the odor is gone. Hexa-Cover® distributes themself on the surface and creates a full cover"



Sweden

S-100 12	S-245 34	S-311 96
S-312 98	S-447 93	S-520 43
S-524 95	S-534 92	S-542 92
S-566 92	S-582 23	S-585 92
S-590 76	S-660 50	S-733 22
S-740 81	S-761 75	

Eriksson, Reimert, S- 445 34:

"I looked for an effective solution that could meet my requirements in terms of both efficiency and economy as the solution also had to be approved by the authorities, easy to handle and require minimal maintenance.

All these requirements were met with the Hexa-Cover®, which I can only give my very best recommendations"

Wiberg, Anders, S-531 97:

"We have now had our Hexa-Cover® for some years - it works extremely well"

Mr. Göran Andersson, S-585 92

Göran Andersson, Linköping - local contact into LRF - "Lantbrukarnas Riksförbund" (Sweden Farmer Association) chose Hexa-Cover®.

Based on his many years of experience Mr. Göran Andersson decided to install Hexa-Cover® in his manure tank. Mr. Göran Andersson explains about the choice of Hexa-Cover®:

"We have only positive experiences.

The Hexa-Cover® has worked very well. The solution is effective, very simple and easy to manage and needs no maintenance, repair or the like.

I recommend Hexa-Cover®"



Switzerland

CH-1377 CH-2072 CH-5244
CH-6038 CH-6277 CH-8194
CH-8918 CH-9504

Mr. Thomas Battiston, CH-8918

"I chose Hexa-Cover® as it is very effective in reducing odors and emissions of ammonia."

Further it is a very easy and simple solution. The Hexa-Cover® is added into the tank and that's it!

The tiles distribute themselves automatically, and create the desired coherent cover.

The very long lifetime of Hexa-Cover® is also an important factor, and especially in view of this, the Hexa-Cover® is very competitive pricewise"



Mr. Wüest, CH 5244

"I installed Hexa-Cover® Floating Cover on my pit - the discs spread like the video shows."

With Hexa-Cover® we have basically no odor as the surface is completely covered.

It also means a lot to me that I know the cover is always intact. In addition, I am of course happy that the emission of ammonia is minimal.

The Hexa-Cover® floating cover meets my requirements, it is effective, does not require maintenance and last much longer than other solutions.

Apart from these considerations, I believe the Hexa-Cover® container cover also has a very economically attractive solution"

UK

B50 (1.800 m² slurry tank)
BD12
DL13 (2.700 m² slurry lagoon)
DN20
DN22
EH27
IP6
TF10
YO23
YO25 (1.465 m² slurry tank)
YO42
YO61



USA

David Erickson, Triple E Farms, IL

"I installed the Hexa-Cover® on my new 67' diameter Slurrystore in June 2009. It spread out just like the company video shows!"

I have another Slurrystore that I try to maintain a straw bio-cover on. The Hexa-Cover® structure has less odor because its surface is almost completely covered while some of the straw has sunk or moved in my other structure. The straw also adds to the solids in the structure.

The Hexa-Cover® looks like they will last a long time. I believe that over time, the Hexa-Cover® will be more economical and more effective than a bio-cover.

Unlike a bio-cover or fabric cover, the Hexa-Cover® should also be maintenance free for many years"



Bob Heers, Heers Family Farm, Owatonna

"We have found the Hexa-Cover® to be a simple and effective solution for covering our manure pit. The individual tiles disperse across the entire surface and align themselves to form a free floating cover that requires no maintenance or upkeep."


Our experience leads us to believe that this cover is virtually indestructible and will have a extremely long lifespan"

Hexa-Cover® is manufactured in North America, Australia and the EU

Hexa-Cover® Floating Cover qualifies for EQIP-funding in USA

Hexa-Cover® is Tested by DLG Testzentrum, Germany





For more information

Hexa-Cover A/S • Vilhelmsborgvej 5 • DK-7700 Thisted, Denmark • TEL +45 96 17 78 00
www.hexa-cover.com • info@hexa-cover.dk